

Bar Linear Floor Grilles

DABLF



Maximum width 8"



- Reinforced for floor use
- Fully extruded aluminum construction for a stylish appearance
- Fixed blades designed for long straight air throw
- Sections joined together for continuous appearance. When longer than 84", aligning pins are provided. Max width 8"
- End caps are included. Open ends can be specified when required.
- Available on 1/2" increments as standard
- Custom sizes available but extra charge may apply
- Durable powdercoat painted finish

HOW TO ORDER

DABLF - 00 - B 30 x 4 COLOR

Core only	-C	Blade	↑	Width & Height	White
Grid core	-G	-00,-01			Silver
No flange	-N	-15,-30 -82,-84	Mounting A,B or C		Mill or Brown

Do not leave space if option is not required



DESCRIPTION	DABLF
FACE BLADES	Horizontal Fixed
REAR BLADES	n/a
DAMPER	n/a
MATERIAL	Aluminum
COLOR	White/Silver/Brown/Mill

JOB NAME: _____

LOCATION: _____

ARCHITECT: _____


ENGINEER: _____

CONTRACTOR: _____

Bar Linear Blade Options


-00-

0° ¹³/₆₄" blades on 1/2" centers




-01-

0° ¹/₄" blades on 1/2" centers




-15-

15° ¹³/₆₄" blades on 1/2" centers




-30-

30° ¹³/₆₄" blades on 1/2" centers




-82-

0° ¹/₈" blades on 1/2" centers



-84-

0° ¹/₈" blades on 1/4" centers




- Additional charges apply for the -84 core option

Bar Linear Mounting Options


**-A
SCREWS**

Color matched screws with counter-sunk screwholes. Suitable for ceiling, wall, sill or floor installation.




**-B
SPRING CLIPS**

Clips behind the flange keep grille snug in opening and are not visible from the face. Only for floor and sill applications. **NOT suitable for wall or ceiling use.**




**-C
CONCEALED BRACKETS**

Grille gets fastened to duct-mounted brackets that are concealed behind the blades. Suitable for ceiling, wall, sill or floor installation.



**-D
SIDEWALL SCREWHOLES**

Only available with **-R Removable core.** (Removable option not available for floor) **NOT available for floor use**



**-TB
NO MOUNTING OPTION**

Suitable for T-Bar lay-in ceiling & custom applications. Account for the flange by ordering 2" under the T-Bar size. i.e.: a 22" x 10" grille will have a 23-11/16" x 11-11/16" OD and will fit a standard 2 ft x 1ft T-Bar opening

